App. No. 10/626,502 Office Action Dated April 21, 2006 RECEIVED
CENTRAL FAX CENTER

JUL 2 0 2006

## IN THE CLAIMS

## **Amendments To The Claims:**

This Listing of Claims will replace all prior versions and listings of claims in the application. No new matter is added.

Claims 1 and 11 are amended.

## Listing of Claims:

1. (Currently Amended) An immunoassay method of a prostate-specific antigen comprising: performing an antigen-antibody reaction in the presence of a copolymer obtained by polymerizing a monomer represented by the following general formula [2]:

$$CH_{2} = C - C - X - R^{\frac{5}{2}}O - P - O - R^{\frac{4}{2}}N + R^{\frac{1}{2}}$$

$$R^{3}$$
[2]

wherein, R<sup>I</sup>-R<sup>3</sup> are each independently a hydrogen atom or an alkyl group optionally having a hydroxyl group; R<sup>4</sup> is an alkylene group; R<sup>5</sup> is an alkylene group optionally having a substituent and optionally having an oxygen atom in the chain; R<sup>6</sup> is a hydrogen atom or a methyl group; and X is an oxygen atom or a -NH- group, and an aralkyl methacrylate or derivatives thereof; and

determining the presence of prostate-specific antigen based on the antigen-antibody reaction.

## 2-7. (Canceled)

- 8. (Previously presented) The immunoassay method according to claim 1, wherein the aralkyl methacrylate is benzyl methacrylate.
- 9. (Previously presented) The immunoassay method according to claim 8, wherein a ratio of the monomer unit derived from the monomer represented by the general formula [2] in the copolymer is 20% or more but less than 100%.

App. No. 10/626,502 Office Action Dated April 21, 2006

612-455-3801

- 10. (Previously presented) The immunoassay method according to claim 9, wherein a molecular weight of the polymer is 10,000 to 1,000,000.
- 11. (Currently amended) A kit of reagent for immunoassay of a prostate-specific antigen comprising:

a reagent containing a copolymer obtained by polymerizing a monomer represented by the following general formula [2]:

$$CH_{2} = C - C - X - R^{\frac{5}{2}}O - P - O - R^{\frac{4}{2}}N + R^{\frac{1}{2}}$$

$$R^{3}$$
[2]

wherein,  $R^1$ - $R^3$  are each independently a hydrogen atom or an alkyl group optionally having a hydroxyl group;  $R^4$  is an alkylene group;  $R^5$  is an alkylene group optionally having a substituent and optionally having an oxygen atom in the chain;  $R^6$  is a hydrogen atom or a methyl group; and X is an oxygen atom or a -NH- group, and an aralkyl methacrylate or derivatives thereof; and

- a reagent containing an antibody to a prostate-specific antigen or a prostate-specific antigen.
- 12. (Original) The kit according to claim 11, wherein the antibody to a prostate-specific antigen or the prostate-specific antigen is supported on a carrier.
- 13. (Canceled)
- 14. (Previously presented) The kit according to claim 12, wherein the carrier is latex.
- 15. (Canceled)

App. No. 10/626,502 Office Action Dated April 21, 2006

16. (Previously presented) The kit according to claim 11, wherein the aralkyl methacrylate is benzyl methacrylate.